

*The 27<sup>th</sup> Annual Meeting of the SSOEL-Japan*  
*(Nara Women's University: March 8-10, 2004)*

## Contents

<General Contributions>

- Fukushima, J., M. Maruyama, R. Kurushima and K. Ikehara: Catalytic activities of random octameric [GADV]-peptides: Degradation activities on a protein ----- (01)
- Maruyama, M., J. Fukushima, R. Kurushima and K. Ikehara: Catalytic activities of an octameric [GADV]-peptide with a specific sequence: Possible discrimination of sugar chirality ----- (02)
- Urata, H., H. Shimizu, and M. Akagi: Comparison of effects of breaking homochirality on stability of DNA and RNA duplexes ----- (03)
- Munegumi, T., T. Ebina and M. Sawahata: Stereospecific condensation between amino acids or between peptides in the presence of a condensing agent ----- (04)
- Kojo, S.: One hypothesis explaining the selection of L-amino acid in biosphere ----- (05)
- Nishino, H. and Y. Inoue: Absolute asymmetric synthesis of amino acids irradiated with circularly polarized light generated by synchrotron radiation - Examination of origin of homochirality in biomolecules ----- (06)
- Takahashi J., Y. Takano, T. Kaneko, and K. Kobayashi: Chirality introduction into complex organic compounds by circularly polarized light ----- (07)

<Special Lecture>

- Takagi, Y.: Hypothesis on the origin of cell mortality: Coupling between germinal haploidization and somatic death ----- (08)

<General Contributions>

- Tonishi, H., T. Koike, Y. Takano, T. Kaneko, K. Kobayashi, J. Takahashi, Y. Muramatsu, T. Saito, and V. Tsarev: Energy yields of amino acid from simulated primitive atmosphere and interstellar media by radiation ----- (09)
- Taniuchi, T., Y. Terui, T. Oshima, T. Kaneko and K. Kobayashi: Analysis of

- polyamines and amines formed by proton irradiation ----- (10)
- Tsuboi, T., T. Kaneko, K. Kobayashi, Y. Takano, D. Hiroishi, H. Ikeda, J. Haruyama  
and M. Ohtake: Stability of amino acids and related compounds on the moon -  
possible exobiology mission of the moon ----- (11)
- Nakazawa, H., T. Kakegawa, S. Ohara and Y. Furukawa: Dynamism of the  
early earth and chemical evolution ----- (12)
- Furukawa, Y., S. Ohara, T. Kakegawa, and H. Nakazawa: Formation of amino acids  
from graphite -Origin of biomolecules by meteorites impact to the early ocean ---- (13)
- Ohara, S., Y. Furukawa, T. Kakegawa, and H. Nakazawa: Polymerization of amino  
acids under the temperature and pressure of diagenesis: The possibility of  
chemical evolution in sediments ----- (14)
- <Symposium 1: Making of 'a Life'>
- Honda, H.: Making of 'a Life' ----- (15)
- Kuramitsu, S.: Whole-cell project of *Thermus thermophilus* HB8, and origin of life ----- (16)
- Sawai, H.: Nonenzymatic and enzymatic synthesis of nucleic acids - Substrate  
specificity in the enzymatic synthesis by DNA polymerases from thermophilic  
bacteria and archaea ----- (17)
- Husimi, Y.: Is a cellular compartment essential for evolving biomolecular system?  
- An essay based on evolutionary molecular engineering ----- (18)
- <General Contributions>
- Kitada, T., M. Tanaka, and K. Nakagawa: Chemical evolution of the amino  
acid by ultraviolet ray irradiation on low-temperature conditions ----- (19)
- Nakagawa, K., M. Tanaka, F. Kaneko, T. Kitada, A. Agui, K. Fujii,  
A. Yokoya, T. Yamada, and K. Watanabe: First observation of circular  
dichroism of amino acid films from vacuum ultraviolet to soft x-ray region ----- (20)
- Kurihara, H., T. Horiuchi, T. Kaneko, K. Kobayashi and Y. Takano: Stability  
of amino acids and related compounds in simulated submarine hydrothermal  
systems ----- (21)
- Hashizume, H. and B. K. G. Theng: Adsorption of adenine, adenosine and adenosine  
monophosphate by tubule clay mineral imogolite ----- (22)
- Nemoto, A., K. Ozawa, E. Imai, H. Honda, K. Hatori and K. Matsuno: A pathway for  
phosphorylation of adenosine-monophosphate in hydrothermal environments ---- (23)
- Futamura, Y., T. Goto, and K. Yamamoto: Efficient synthesis of glycine oligomers  
via rapid expansion from hydrothermal condition ----- (24)

Mita, H., S. Nomoto, M. Terasaki, A. Shimoyama, and Y. Yamamoto: Analysis of copolymerization in the heating experiments of aqueous asparagine and alanine solution -----	(25)
Matsui, T., T. Kitada and K. Nakagawa: Chemical evolution of (Gly) <sub>2</sub> to (Gly) <sub>3</sub> and (Gly) <sub>4</sub> induced by irradiation of 146 nm vacuum ultraviolet light -----	(26)
Horie, M., A. Nemoto, E. Imai, H. Honda, K. Hatori and K. Matsuno: Racemization of alanine in hydrothermal environments -----	(27)
Koyama, A., N. Kikuchi, E. Imai, H. Honda, K. Hatori and K. Matsuno: Synthesis of complex molecules of 3,000 daltons or higher in hydrothermal environments -----	(28)
Ikeya, R., A. Nemoto, E. Imai, H. Honda, K. Hatori, and K. Matsuno: Prebiotic synthesis of metabolites appearing in a TCA cycle -----	(29)
 <Symposium 2: Microbial world in evolution>	
Kawakami, S: On the geological evidences on the early microbial ecosystems -----	(30)
Kato, K.: Evolutionary and microbial ecosystem under the extreme environments -----	(31)
Yamamoto, H.: Evolutionary history of microbial ecosystem -----	(32)
Makino, M., W. Ogawa and A. Shimizu: Cellulose as a matrix substance of the sulfur-turf bacterial mat growing in hot spring effluent -----	(33)
Hanada, S.: Origin of photosynthesis and its evolutionary process -----	(34)
Chiura, H. X.: Significance of broad-host range gene transfer particles in the ecosystem -----	(35)
 <General Contributions>	
Imuta, M.: Environment and morphological observations of microbes in the earth's crust as the origin of life - contributions of the microbes to humans' life through drinking and bathing hot-spring -----	(36)
Ataka, M., K. Mino, Y. Oda and K. Ishikawa: Evolution seen from cysteine biosynthesis -----	(37)
Ikehara, K.: Deduction of evolution of amino acid metabolism by SNS-amino acid analysis -----	(38)
Tsuji, T., M. Onimaru, Y. Ikeda, H. Takashima, and H. Yanagawa: Creation of novel proteins by block shuffling - Towards the description of the fitness landscape -----	(39)
Yanagawa, H., K. Kakukawa, and N. Doi: A constitutional approach to the GNC hypothesis concerning the origin of genetic codes -----	(40)
Saito, T., T. Tezuka, R. Konno, and N. Fujii: Protective effects of metallothionein in mouse lens epithelial cell line -----	(41)
Kuge, K., N. Fujii, and T. Saito: Kinetic study of racemization of aspartyl residues	

in synthetic elastin peptides -----	(42)
Shimada, A.: Conformational changes inducing tryptophanase activity on D-tryptophan -----	(43)
Ohnishi, K., Y. Ishimoto, and M. Yamazaki: Evolution from tRNA-cluster to mRNAs and ribosomal RNAs -----	(44)
Nagatoyo, Y., J. Yokozawa, Y. Nagaoka, J. Iwaki, K. Okamoto, T. Umehara, W. Tsuchiya, S. Hara, A. Kuno and T. Hasegawa: tRNA identity of hyperthermophilic archaeon, <i>Aeropyrum pernix</i> K1 -----	(45)
Shimizu, H., S. Yokobori, T. Ohkuri, T. Oshima, T. Yokogawa, K. Nishikawa, and A. Yamagishi: Ancestrization of glycyl-tRNA synthetase from the extreme thermophile <i>Thermus thermophilus</i> and thermostability of the ancestral enzymes -----	(46)
Furuuchi, R., E. Imai, H. Honda, K. Hatori and K. Matsuno: Oligomerization of amino acid inside fatty acid vesicles -----	(47)
Kunita, M. and S. Sakurazawa: pH relaxation at formation of capsules made from thermal heterocomplex molecules of amino acids -----	(48)
Iida, K.: Temporal sequence hidden in molecular structures -----	(49)
Sawai, H., K. Osawa, and H. Urata: Chiral selection in oligosdenylate formation in the presence of a metal ion catalyst or poly(U) template -----	(50)
Ohno S. and H. Watanabe: Natural radiation and its role in life evolution -----	(51)
Shikata, M.: The most recognized belief of the grand unified theory in physics is that 「Elementary particles have been created by time」 : This is the view point which is arrived at by the method of demonstration -----	(52)